



SAFETY DATA SHEET

SSF - MICROCARE SSF, SMOOTHING STATION FLUID

According to Regulation (EC) No 1907/2006

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	SSF - MICROCARE SSF, SMOOTHING STATION FLUID		
PRODUCT NO.	MCC-SSF0IP		
SUPPLIER	MICROCARE EUROPE BVBA	MANUFACTURER	MICROCARE CORPORATION
	Erasmuslaan 10		595 John Downey Drive
	B-1804 Cargovil (Zemst)		New Britain, CT 06019
	Belgium		United States of America
	0032 2 251 95 05		CAGE: OATV9
	0032 2 759 80 27		+1 860-827-0626
	techsupport@microcare.com		+1 860-827-8105
			techsupport@microcare.com
CONTACT PERSON	techsupport@microcare.com		

2 HAZARDS IDENTIFICATION

Harmful by inhalation. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION Xn;R20. R52/53.

ENVIRONMENT

The product contains a substance which is harmful to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

PHYSICAL AND CHEMICAL HAZARDS

Vapours are heavier than air and may travel along the floor and in the bottom of containers. Gas or vapour displaces oxygen available for breathing (asphyxiant).

HUMAN HEALTH

Prolonged skin contact may cause redness, irritation and dry skin. Mild dermatitis, allergic skin rash.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
1,1,1,2,3,4,4,5,5,5-decafluoropentane	420-640-8	138495-42-8	10-30%	R52/53.
trans-DICHLOROETHYLENE	205-860-2	156-60-5	60-100%	F;R11 Xn;R20 R52/53

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

The Data Shown is in accordance with the latest EC Directives.

4 FIRST-AID MEASURES

GENERAL INFORMATION

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Place unconscious person on the side in the recovery position and ensure breathing can take place. Perform artificial respiration if breathing has stopped.

INHALATION

Move into fresh air and keep at rest. If respiratory problems, artificial respiration/oxygen. Get medical attention.

INGESTION

Do not induce vomiting. Immediately rinse mouth and drink plenty of water (200-300 ml). Get medical attention.

SKIN CONTACT

Remove contaminated clothes and rinse skin thoroughly with water.

SSF - MICROCARE SSF, SMOOTHING STATION FLUID**EYE CONTACT**

Promptly wash eyes with plenty of water while lifting the eye lids. Make sure to remove any contact lenses from the eyes before rinsing. Consult a physician for specific advice.

5 FIRE-FIGHTING MEASURES**EXTINGUISHING MEDIA**

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES

Containers close to fire should be removed immediately or cooled with water.

UNUSUAL FIRE & EXPLOSION HAZARDS

Closed containers can burst violently when heated, due to excess pressure build-up.

SPECIFIC HAZARDS

Avoid contact with naked flames and hot surfaces as corrosive and toxic decomposition products can be formed.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES**PERSONAL PRECAUTIONS**

Warn everybody of potential hazards and evacuate if necessary. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

ENVIRONMENTAL PRECAUTIONS

Contain spillages with sand, earth or any suitable adsorbent material. Avoid release to the environment.

SPILL CLEAN UP METHODS

Large quantities should not be discharged into the drain but removed with absorbing material. Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage with shovel, broom or the like and reuse, if possible. Dispose of large amounts of spillage/waste according to agreement with local authorities.

7 HANDLING AND STORAGE**USAGE PRECAUTIONS**

Provide good ventilation. Avoid inhalation of vapours/spray and contact with skin and eyes.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place.

STORAGE CLASS

The product is non-combustible.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
trans-DICHLOROETHYLENE	ACGIH			200 ppm		

ACGIH = American Conference of Governmental Industrial Hygienists.

PROTECTIVE EQUIPMENT**ENGINEERING MEASURES**

No specific ventilation requirements noted, except this product must not be used in a confined space without good ventilation.

RESPIRATORY EQUIPMENT

Vapours are heavier than air and may travel along the floor and in the bottom of containers. At work in confined or poorly ventilated spaces, respiratory protection with air supply must be used. Self-contained breathing apparatus with full facepiece.

SSF - MICROCARE SSF, SMOOTHING STATION FLUID**HAND PROTECTION**

For prolonged or repeated skin contact use suitable protective gloves.

EYE PROTECTION

Wear approved, tight fitting safety glasses where splashing is probable. If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

Wear suitable protective clothing as protection against splashing or contamination.

HYGIENE MEASURES

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals. When using do not eat, drink or smoke.

SKIN PROTECTION

Wear apron or protective clothing in case of splashes.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear liquid		
COLOUR	Colourless		
ODOUR	Slight odour		
VOLATILITY DESCRIPTION	Volatile.		
SOLUBILITY	Slightly soluble in water.		
Flammability	This product is not flammable.		
VAPOUR DENSITY (air=1)	<1	VOLATILE BY VOL. (%)	100
FLAMMABILITY LIMIT - LOWER(%)	7.0	FLAMMABILITY LIMIT - UPPER(%)	14

10 STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid contact with naked flames and hot surfaces as corrosive and toxic decomposition products can be formed.

HAZARDOUS POLYMERISATION

Will not polymerise.

MATERIALS TO AVOID

Alkali metals. Alkali earth metals. Powdered metal.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire or high temperatures may form toxic and corrosive vapours. Halogenated hydrocarbons. Hydrogen fluoride (HF). Carbon dioxide (CO₂). Carbon monoxide (CO).

11 TOXICOLOGICAL INFORMATION**INHALATION**

Vapours may irritate the respiratory system and cause coughing, asthmatic breathing and breathlessness.

INGESTION

May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication.

SKIN CONTACT

Acts as a defatting agent on skin. May cause cracking of skin, and eczema.

EYE CONTACT

May cause temporary eye irritation.

MEDICAL SYMPTOMS

High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.

Name	trans-DICHLOROETHYLENE
Toxic Dose 1 - LD 50	1235 mg/kg (oral rat)
Toxic Dose 2 - LD 50	>5000 mg/kg (oral-rbt)

SSF - MICROCARE SSF, SMOOTHING STATION FLUID

Toxic Conc. - LC 50	24100 ppm/4h (inh-rat)
OTHER HEALTH EFFECTS	
This substance has no evidence of carcinogenic properties.	
Name	1,1,1,2,3,4,4,5,5,5-decafluoropentane
Toxic Dose 1 - LD 50	>5,000 mg/kg (oral rat)
Toxic Conc. - LC 50	114 mg/l/4h (inh-rat)

12 ECOLOGICAL INFORMATION

Name	trans-DICHLOROETHYLENE
Ecotoxicity	
Low acute toxicity to aquatic organisms.	
LC 50, 96 Hrs, FISH mg/l	1350
EC 50, 48 Hrs, DAPHNIA, mg/l	220
Mobility	
The product has poor water-solubility.	
Bioaccumulation potential	
Bioaccumulation is unlikely to be significant because of the low water solubility of this product.	
Degradability	
No data available.	
Name	1,1,1,2,3,4,4,5,5,5-decafluoropentane
LC 50, 96 Hrs, FISH mg/l	13
IC 50, 72 Hrs, ALGAE, mg/l	120

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL	Not regulated. The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).
---------	--

15 REGULATORY INFORMATION

LABELLING



Harmful

CONTAINS	1,1,1,2,3,4,4,5,5,5-decafluoropentane trans-DICHLOROETHYLENE
----------	---

RISK PHRASES

R20	Harmful by inhalation.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY PHRASES

S51	Use only in well-ventilated areas.
S60	This material and its container must be disposed of as hazardous waste.

SSF - MICROCARE SSF, SMOOTHING STATION FLUID

EU DIRECTIVES

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

16 OTHER INFORMATION

RISK PHRASES IN FULL

R20	Harmful by inhalation.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R11	Highly flammable.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.